


BAM INFORMATION SHEET


Product Demonstrator

B
A
M
-
7
6
6
3




Property	Value	Unit
D10 particle size	4.0	µm
D50 particle size	6.6	µm
D90 particle size	10.8	µm
Specific surface area (BET)	4.3	m ² /g
Tap density	893	g/dm ³
Ash content	0.01	%
1st cycle efficiency	92.4	%
1st cycle specific capacity	354	mAh/g

B
A
M
-
7
6
5
6



Property	Value	Unit
D10 particle size	8.6	µm
D50 particle size	14.6	µm
D90 particle size	24.0	µm
Specific surface area (BET)	3.0	m ² /g
Tap density	989	g/dm ³
Ash content	0.03	%
1st cycle efficiency	93.9	%
1st cycle specific capacity	358	mAh/g

B
A
M
-
7
6
4
7



Property	Value	Unit
D10 particle size	10.1	µm
D50 particle size	16.9	µm
D90 particle size	27.2	µm
Specific surface area (BET)	4.0	m ² /g
Tap density	970	g/dm ³
Ash content	0.03	%
1st cycle efficiency	93.3	%
1st cycle specific capacity	361	mAh/g

As of January 2025. The information contained herein is compiled to the best of our knowledge. No warranty is made, neither expressed nor implied, regarding the values stated.



NGC Battery Materials GmbH
 Reinhard-Heraeus-Ring 27
 63801 Kleinostheim · Germany

bam@northerngraphite.com
www.northerngraphite.com

NGCBM-FS-312-01-EN
 Editor: Product Management
 Release date: 01/16/2025